



RUBIN LOOK LED SMOOTH

Surface mounted luminaires



Surface mounted luminaire equipped in highly efficient LED sources. Luminaire body made from steel sheet, powder coated.




Vivid Games, Bydgoszcz



Main parameters:

Name	Luminous flux LED [lm]	Power of luminaire [W]	Color [K]	Dimensions A x B x H [mm]
RUBIN LOOK LED SMOOTH 2700	2835	16,3	3000 / 4000	620 x 365 x 56
RUBIN LOOK LED SMOOTH 3750	3750	29	3000 / 4000	620 x 365 x 56
RUBIN LOOK LED S SMOOTH 3750	3740	25	4000	620 x 365 x 56
RUBIN LOOK LED SMOOTH 5400	5670 / 6061	33,2	3000 / 4000	1140 x 368 x 56 / 620 x 620 x 56
RUBIN LOOK LED S SMOOTH 5400	5607	33,2	4000	620 x 620 x 56
RUBIN LOOK LED SMOOTH 7500	7875 / 7854	42,2	3000 / 4000	1140 x 368 x 56 / 620 x 620 x 56

Technical drawing:



Light and electrical features:

Light source	LED
Voltage	220..240 V, 50..60 Hz
Lifetime of LED sources [h]	60000/54000/100000
Lx/By	L80/B10
CRI	>80
SDCM (LED sources)	3/4
Operating temperature range [°C]	5 ÷ 30
Driver	standard on/off (E) DIM DALI (EDD) *
Power factor cos φ	>0,95

* Variant to specify when ordering

Mechanical features:

Assembly	surface mounted on ceiling
Material	steel sheet
Color	RAL 9006 (gray, metallic, fine structure) RAL 9016 (white) *
Diffuser	PLX (PMMA opal)

Additional information:

The luminaire can be made in CLO version.

Note: The power shown refers to the whole system (tolerance +/- 10%).
The given luminous flux refers to LED light sources (tolerance +/- 10% depends on the value of the colour temperature).
Technical data may be changed. Photos of the luminaires may differ from reality.
Date of last update: 23-12-2022

Dodatkowe informacje / Additional information / Zusätzliche Informationen:

Diody LED Standard vs LED Smooth / Standard LED vs Smooth LED modules / Standard LED vs Smooth LED Module



STANDARD



SMOOTH

UWAGA / NOTE / ACHTUNG

W oprawkach typu SMOOTH* z przesłoną półprzezroczystą tj. MICRO-PRM + SH; MICRO-PRM, SHM pojawia się "efekt cienia" widoczny na zdjęciu.
*dotyczy tylko wymiarów 1200x300 i 1200x600 (+/- 5 cm)

In SMOOTH * luminaires with a semi-transparent diffuser MICRO-PRM + SH; MICRO-PRM, SHM appears "shadow effect" visible in the picture below.
* only for dimensions 1200x300 and 1200x600 (+/- 5 cm)

In SMOOTH * -Leuchten mit einem halbtransparenten Diffusor MICRO-PRM + SH; MICRO-PRM, SHM erscheint als „Schatteneffekt“ im Bild unten sichtbar.
* nur für Abmessungen 1200x300 und 1200x600 (+/- 5 cm)

