




GRANVIA & GRANVIA PRO TRUNKING RAIL

Industrial luminaires




The trunking rail, that is a part of the GRANVIA linear lighting system is designed for surface-mounted or suspended installation. The rail is available in three lengths for greater flexibility: 1.5m, 3m and 4.5m. The connection between the two rails is made without tools, which, together with the long dimensions, minimises installation time for installers. It is a top-quality steel profile (Arcelor Mittal), which guarantees its protection in industrial and commercial spaces. The rail is available in 4 wiring options (5, 7, 9 and 11 wires), which allow the connection of three phases to system components equipped with a traditional on/off driver, and the possibility of connecting components equipped with a DALI driver, emergency system, sensors, etc.



Main parameters:

Name	Luminous flux LED [lm]	Power of luminaire [W]	Color [K]	Dimensions A x B x H [mm]
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 5X WIRES / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 7X WIRES / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 9X WIRES / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 11X WIRES / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 5X WIRES / L-3000MM				3000 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 7X WIRES / L-3000MM				3000 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 9X WIRES / L-3000MM				3000 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 11X WIRES / L-3000MM				3000 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 5X WIRES / L-1500MM				1500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 7X WIRES / L-1500MM				1500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 9X WIRES / L-1500MM				1500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 11X WIRES / L-1500MM				1500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 5X WIRES 3 CONNECTORS / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 7X WIRES 3 CONNECTORS / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 9X WIRES 3 CONNECTORS / L-4500MM				4500 x 64 x 45
GRANVIA / GRANVIA PRO TRUNKING RAIL 34 11X WIRES 3 CONNECTORS / L-4500MM				4500 x 64 x 45

Technical drawing:



Light and electrical features:

Light source	
Voltage	220..240 V, 50..60 Hz
Lifetime of LED sources [h]	
Lx/By	
CRI	
SDCM (LED sources)	
Operating temperature range [°C]	
Driver	

Mechanical features:

Assembly	directly mounted to ceiling construction or surface mounted on slings using accessories
Material	steel sheet
Color	RAL 9016 (white)
Diffuser	



Note: The power shown refers to the whole system (tolerance +/- 10%).
The given luminous flux refers to LED light sources (tolerance +/- 10% depends on the value of the colour temperature).
Technical data may be changed. Photos of the luminaires may differ from reality.
Date of last update: 27-08-2024