

Product: ONLINE LED 7800 PLX E 34 840 / L-1692MM Index: 19.3090.0008.34




Description

Luminary to be mounted on suspensions , or directly on solid ceiling construction. The suspended version is equipped with 1500 mm long suspension system that includes smooth regulation of the suspension length. Its body made from anodized aluminum profile. Luminary is equipped with highly efficient LED sources. Its diffuser is made from white polymethyl methacrylate with a light transparency more than 70%. Optical system creates Lambert diffuse reflection. No frame diffuser is equipped with specially formed latches that match the aluminum profile. Luminary is resistant to solids, dust, and humidity penetration – IP20.

Product information	Category	Surface mounted	luminaires
r roudet mormation	Family	ONLINE LED	
	Name) PLX E 34 840 / L-1692MM
	Index	19.3090.0008.34	
Light and electrical data	Light source		LED
g	Luminous flu	x LED [lm]	7851
	LED power [39,9
Luminaire luminous flux [lm] Power of luminaire [W]		ninous flux [lm]	6194
		inaire [W]	43,1
	Luminaire's light efficiency [lm/W] Color of the light [K] CRI SDCM (LED sources) Beam angle [°] Protection against electric shock Protection degree Voltage Lifetime of LED sources [h] Lx/By Operating temperature range [°C] Driver Power factor cos φ		143,7
			4000
			>80
			3
			(C0-C180) / (C90-C270) - 93,8° / 96,6°
			I
			IP20
			220240 V, 5060 Hz
			100000 (1) / 147000 (2)
			L80/B10 (1) / L70/B50 (2)
] 5 ÷ 30
			standard on/off (E)
			>0,95
Circuit loa		apacity	9 (B10), 15 (B16), 15 (C10), 24 (C16)
Mechanical data	Assembly		ectly mounted to ceiling construction or face mounted on slings using accessories
AB	Material	alu	minum
	Color	RAI	L 9016 (white)
	Diffuser	PL>	K (PMMA opal)
	Impact resist	ant IKO	4
	Weight [kg]	3,93	1
	Dimensions [[mm] 169	2 x 92 x 86

A graph of light








Accessories


- Index 6E1-500KW34K-3
- Name SUSPENSION NEW TYPE-A+B 34 LENGHT 1,5M WIRE 3X SET



- Index 6E1-9875-4-1,5-3X
- Name SUSPENSION NEW TYPE-D LENGHT-1,5 METER WIRE 3X 1-POINT









LENGHT-1,5 METER WITHOUT WIRE 1-POINT



- Index 19.3272.1205.00
- Name SUSPENSION NEW TYPE-E
- LENGHT-1,5 METER WITHOUT WIRE 1-POINT



- Index 6E1-500KWB34K-3
- Name SUSPENSION NEW TYPE-A+E 34 LENGHT 1,5M WIRE 3X SET



Luminous flux tolerance +/- 10%. Power tolerance +/- 10%. Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 18-06-2025