

Product: ONLINE LED 8800 PLX E 34 830 / L-1132MM Index: 19.3090.0009.34




Description

Luminary to be mounted on suspensions , or directly on solid ceiling construction. The suspended version is equipped with 1500 mm long suspension system that includes smooth regulation of the suspension length. Its body made from anodized aluminum profile. Luminary is equipped with highly efficient LED sources. Its diffuser is made from white polymethyl methacrylate with a light transparency more than 70%. Optical system creates Lambert diffuse reflection. No frame diffuser is equipped with specially formed latches that match the aluminum profile. Luminary is resistant to solids, dust, and humidity penetration – IP20.

Product information	Category	Surface mounted luminaires
	Family	ONLINE LED
	Name	ONLINE LED 8800 PLX E 34 830 / L-1132MM
	Index	19.3090.0009.34
		$\begin{array}{c} \hline \hline$
Light and electrical data	Light source	LED
3	Luminous flux I	_ED [lm] 8811
	LED power [W]	46,8
	Luminaire lumi	nous flux [lm] 6952
	Power of lumin	
	Luminaire's ligh	nt efficiency [lm/W] 141,6
	Color of the light	nt [K] 3000
	CRI	>80
	SDCM (LED so	urces) 3
	Beam angle [°]	(C0-C180) / (C90-C270) - 93,8° / 96,6°
	Protection agai	nst electric shock I
	Protection degr	ree IP20
	Voltage	220240 V, 5060 Hz
	Lifetime of LED	9 sources [h] 100000 (1) / 147000 (2)
	Lx/By	L80/B10 (1) / L70/B50 (2)
	Operating temp	perature range [°C] 5 ÷ 30
	Driver	standard on/off (E)
	Power factor co	os φ >0,95
	Circuit load cap	bacity 15 (B10), 25 (B16), 24 (C10), 38 (C16)
Mechanical data	Assembly	directly mounted to ceiling construction or surface mounted on slings using accessories
AB	Material	aluminum
	Color	RAL 9016 (white)
	Diffuser	PLX (PMMA opal)
	Impact resistar	
	Weight [kg]	3,5
	Dimensions [m	m] 1132 x 92 x 86

A graph of light








Accessories


- Index 6E1-500KW34K-3
- Name SUSPENSION NEW TYPE-A+B 34 LENGHT 1,5M WIRE 3X SET



- Index 6E1-9875-4-1,5-3X
- Name SUSPENSION NEW TYPE-D LENGHT-1,5 METER WIRE 3X 1-POINT









LENGHT-1,5 METER WITHOUT WIRE 1-POINT



- Index 19.3272.1205.00
- Name SUSPENSION NEW TYPE-E
- LENGHT-1,5 METER WITHOUT WIRE 1-POINT



- Index 6E1-500KWB34K-3
- Name SUSPENSION NEW TYPE-A+E 34 LENGHT 1,5M WIRE 3X SET



Luminous flux tolerance +/- 10%. Power tolerance +/- 10%. Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 18-06-2025