

### Product: DOMINO LOW UGR LED 4200 RASTER DAISY-BLACK-WIDE E 34 830 / 596X596MM Index: 19.4100.4211.34



### Description


LED luminary dedicated to be mounted on suspended modular ceilings, cardboard suspended ceilings (using mounting clips or adaptive frame), directly on the ceiling (using ceiling sheet) or using ceiling sheet and suspensions. Equipped with highly efficient LED light sources. The Domino LOW UGR LED uses an anti-glare louvre which reduces glare and directs light precisely. Housing made of steel sheet. Standard colour of the luminary is white. Significant diversity of the value of luminous flux. Colour rendering index CRI: 80.

Product information		Category Recessed lur	ninaires	
		Family DOMINO LOW UGR LED		
		Name DOMINO LOV	VUGR LED 4200 RASTER DAISY-BLACK-WIDE E 34	
		830 / 596X596 Index 19.4100.4211		
		EAN 59021072873		
		EAN 59021072873		
Light and electrical data		Light source	LED	
		Luminous flux LED [Im]	4128	
		LED power [W]	22,6	
		Luminaire luminous flux		
		Power of luminaire [W]	25,3	
		Luminaire's light efficiend		
		Color of the light [K]	3000	
		CRI	>80	
		SDCM (LED sources)	3	
		Beam angle [°]	(C0-C180) / (C90-C270) - 72,6° / 74,4°	
		Protection against electri	ic shock II	
		Protection degree	IP20	
		Voltage	220240 V, 5060 Hz	
		Lifetime of LED sources	[h] <b>100000 (1) / 147000 (2)</b>	
		Lx/By	L80/B10 (1) / L70/B10 (2)	
		Operating temperature r	ange [°C] 5 ÷ 30	
		Driver	standard on/off (E)	
		Power factor $\cos \phi$	>0,95	
		Circuit load capacity	31 (B10), 49 (B16), 51 (C10), 82 (C16)	
Mechanical data		Assembly	mounted in module ceilings as well as plasterboard ceilings, directly mounted to ceiling construction and surface mounted on slings using accessories	
		Material	steel sheet	
		Color	RAL 9016 (white)	
		Diffuser	RASTER (anti-glare louver)	
		Impact resistant	IK04	
		Dimensions [mm]	596 x 596 x 23	

Mounting hole [mm]

585 x 585

# A graph of light








## **Accessories**

#### Index 19.3200.0001.00 Name DOMINO LOW UGR LED 2100/4200/6300 mounting clips set for plasterboard ceiling / 596X596 / 596X296 / 1196X75 / 596X75






Index 19.3200.0004.34









Index 6E1-500KW341P-3Y Name SUSPENSION NEW TYPE-G 34

LENGHT 1,5M WIRE 3X 1-POINT TYPE-Y





Luminous flux tolerance +/- 10%. Power tolerance +/- 10%. Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 22-08-2025

Index 6E1-8670-B-Y-1,5 Name SUSPENSION NEW TYPE-L LENGHT-1,5 METER WITHOUT WIRE 1-POINT TYPE-Y



