

В

Product: AGALINE LED 3R 10800 OPTICS-2 EDD 34 IP65 830 / L-940MM Index: 19.4200.1213.34



Description

Agaline 3R is a single linear luminaire designed for mounting on slings. The body is made of white powder-coated steel sheet. Optical system based on lenses providing different light distribution. High level of protection against penetration of dust and water - IP65. Agaline is an excellent solution for lighting industrial facilities and warehouses, but also finds application in offices, supermarkets and shops.

Product information		
	Category Industrial luminaires	
	Family AGALINE LED 3R	
	Name AGALINE LED 3R 10800 (OPTICS-2 EDD 34 IP65 830 / L-940MM
	Index 19.4200.1213.34	
	EAN 5902107428198	
		$\textcircled{E} \bigoplus \textcircled{P_{65}} \widecheck{K_4} \bigoplus_{ndoor} \widecheck{\mathscr{O}}$
Light and electrical data	Light source	LED
	Luminous flux LED [Im]	11442
	LED power [W]	64,8
	Luminaire luminous flux [lm]	10869,9
	Power of luminaire [W]	72,6
	Luminaire's light efficiency [lm/W]	149,7
	Color of the light [K]	3000
	CRI	>80
	SDCM (LED sources)	3
	Beam angle [°]	(C0-C180) / (C90-C270) - 43,6° / 83,2°
	Photobiological risk class (IEC/EN 62471)	RG0
	Protection against electric shock	I
	Protection degree	IP65
	Voltage	220240 V, 5060 Hz
	Lifetime of LED sources [h]	90000
	Lx/By	L80B10
	Operating temperature range [°C]	-25 ÷ 35
	Driver	DIM DALI (EDD)
Mechanical data	Assembly surfa	ce mounted on slings
Mechanical data		ce mounted on slings sheet
	Material steel	
Mechanical data	MaterialsteelColorRAL	sheet
Mechanical data	MaterialsteelColorRAL	sheet 9016 (white)








Accessories


- Index 6E1-500KW34K-5
- Name SUSPENSION NEW TYPE-A+B 34 LENGHT 1,5M WIRE 5X SET



- Index 6E1-9875-4-1,5-5X
- Name SUSPENSION NEW TYPE-D LENGHT-1,5 METER WIRE 5X 1-POINT







ME SUSPENSION NEW TYPE-C LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Name SUSPENSION NEW TYPE-E LENGHT-1,5 METER WITHOUT WIRE 1-POINT

Index 19.3272.1205.00

- Index 6E1-500KWB34K-5
 - Name SUSPENSION NEW TYPE-A+E 34 LENGHT 1,5M WIRE 5X SET



Luminous flux tolerance +/- 10%. Power tolerance +/- 10%. Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 22-08-2025