

Product: AGALINE LED 8000 E 34 840 / L-565MM

Index: 19.4209.2121.34



Description

Agaline is an industrial modular system for installing in straight lines. Agaline is an excellent option for lighting industrial premises and warehouses, but is also suitable for offices, supermarkets and commercial spaces. A luminaire mounted in line systems, made of sheet steel, painted in white. Individual elements of the system combined with connectors. Through-cabling ensures easy and fast installation. To be applied in industrial objects and other places, where high intensity and uniformity of lighting is necessary.

Product information

Category	Industrial luminaires
Family	AGALINE LED
Name	AGALINE LED 8000 E 34 840 / L-565MM
Index	19.4209.2121.34















Light and electrical data

Light source	LED
Luminous flux LED [lm]	8698
LED power [W]	41,2
Luminaire luminous flux [lm]	8698
Power of luminaire [W]	46,1
Luminaire's light efficiency [lm/W]	188,7
Color of the light [K]	4000
CRI	>80
SDCM (LED sources)	3
Beam angle [°]	(C0-C180) / (C90-C270) - 114,4° / 114,4°
Photobiological risk class (IEC/EN 62471)	RG0
	RG0
62471)	
62471) Protection against electric shock	1
Protection against electric shock Protection degree	I IP20
Protection against electric shock Protection degree Voltage	I IP20 220240 V, 5060 Hz
Protection against electric shock Protection degree Voltage Lifetime of LED sources [h]	I IP20 220240 V, 5060 Hz 100000
Protection against electric shock Protection degree Voltage Lifetime of LED sources [h] Lx/By	I IP20 220240 V, 5060 Hz 100000 L80/B10
Protection against electric shock Protection degree Voltage Lifetime of LED sources [h] Lx/By Operating temperature range [°C]	I IP20 220240 V, 5060 Hz 100000 L80/B10 5 ÷ 35



Mechanical	data



Assembly	surface mounted on slings
Material	steel sheet
Color	RAL 9016 (white)
Diffuser	none
Impact resistant	IK04
Dimensions [mm]	565 x 56 x 45





Accessories

Index 0E1ALLS-SP

Index 6E1-500KW34K-3

Index 6E1-9875-4-1,5-3X

POINT

Name SUSPENSION NEW TYPE-D

LENGHT-1,5 METER WIRE 3X 1-

Name SUSPENSION NEW TYPE-A+B 34


LENGHT 1,5M WIRE 3X SET

Name AGALINE LED CONNECTOR



Index 0E1ALLS-E

Name AGALINE LED END-CAP 34




Index 6E1-8670-B-1,5-3X

Name SUSPENSION NEW TYPE-F LENGHT-1,5 METER WIRE 3X 1-POINT




Index 6E1-9875-3-1,5

Name SUSPENSION NEW TYPE-C LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Index OE1ALLS-EP

Name AGALINE LED END-CAP 34
Through wiring



Index 19.3272.1205.00

Name SUSPENSION NEW TYPE-E LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Index 1E1AL8030-1-3

Name COVER 8030-1-3 RAL9016



Index 6E1-500KWB34K-3

Name SUSPENSION NEW TYPE-A+E 34 LENGHT 1,5M WIRE 3X SET

