


Product: AGALINE LED 20000 E 34 840 / L-2805MM**Index:** 19.4213.5121.34

Description

Agaline is an industrial modular system for installing in straight lines. Agaline is an excellent option for lighting industrial premises and warehouses, but is also suitable for offices, supermarkets and commercial spaces. A luminaire mounted in line systems, made of sheet steel, painted in white. Individual elements of the system combined with connectors. Through-cabling ensures easy and fast installation. To be applied in industrial objects and other places, where high intensity and uniformity of lighting is necessary.

Product information

Category	Industrial luminaires
Family	AGALINE LED
Name	AGALINE LED 20000 E 34 840 / L-2805MM
Index	19.4213.5121.34
EAN	5902107202026



Light and electrical data

Light source	LED
Luminous flux LED [lm]	21745
LED power [W]	103
Luminaire luminous flux [lm]	21745
Power of luminaire [W]	115,4
Luminaire's light efficiency [lm/W]	188,4
Color of the light [K]	4000
CRI	>80
SDCM (LED sources)	3
Beam angle [°]	(C0-C180) / (C90-C270) - 114,4° / 114,4°
Photobiological risk class (IEC/EN 62471)	RG0
Protection against electric shock	I
Protection degree	IP20
Voltage	220..240 V, 50..60 Hz
Lifetime of LED sources [h]	100000
Lx/By	L80/B10
Operating temperature range [°C]	5 ÷ 35
Driver	standard on/off (E)
Power factor cos φ	>0,95
Circuit load capacity	4 (B10), 7 (B16), 7 (C10), 12 (C16)

Mechanical data



Assembly	surface mounted on slings
Material	steel sheet
Color	RAL 9016 (white)
Diffuser	none
Impact resistant	IK04
Dimensions [mm]	2805 x 56 x 45



Accessories


Index	0E1ALLS-SP
Name	AGALINE LED CONNECTOR




Index	0E1ALLS-E
Name	AGALINE LED END-CAP 34



Index	0E1ALLS-EP
Name	AGALINE LED END-CAP 34 Through wiring



Index	1E1AL8030-5-2
Name	COVER 8030-5-2 RAL9016




Index	6E1-500KW34K-3
Name	SUSPENSION NEW TYPE-A+B 34 LENGHT 1,5M WIRE 3X SET




Index	6E1-8670-B-1,5-3X
Name	SUSPENSION NEW TYPE-F LENGHT-1,5 METER WIRE 3X 1- POINT



Index	19.3272.1205.00
Name	SUSPENSION NEW TYPE-E LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Index	6E1-500KWB34K-3
Name	SUSPENSION NEW TYPE-A+E 34 LENGHT 1,5M WIRE 3X SET



Index	6E1-9875-4-1,5-3X
Name	SUSPENSION NEW TYPE-D LENGHT-1,5 METER WIRE 3X 1- POINT



Index	6E1-9875-3-1,5
Name	SUSPENSION NEW TYPE-C LENGHT-1,5 METER WITHOUT WIRE 1-POINT

