


## Product: GRANVIA SPOTS 2x 3000 40° E 34 930 / L-900MM Index: 19.4406.3431.34



## Description

GRANVIA SPOTS is a high-performance accent lighting module for the GRANVIA trunking system, designed for precise illumination in supermarkets and commercial spaces. Available in three lengths with up to three Luxcan Pro projectors, it offers flexibility with different beam angles and specialized LED light sources like MEAT, BREAD, FRUIT and PEARL WHITE and high CRI options to ensure vivid, true-to-life colours and enhanced product display.

Product information	
---------------------	--

Category	Projectors
Family	GRANVIA SPOTS
Name	GRANVIA SPOTS 2x 3000 40° E 34 930 / L-900MM
Index	19.4406.3431.34
EAN	5902107650384
	$\overbrace{LED} \bigoplus \fbox{\ } \fbox{\ } \fbox{\ } \fbox{\ } \swarrow{\ } \swarrow{\ } \swarrow{\ } \swarrow{\ } \swarrow{\ } \swarrow{\ } \checkmark{\ } \swarrow{\ } \checkmark{\ } \swarrow{\ } \checkmark{\ } \mathrel$ {\ } \checkmark{\ } \checkmark{\ } \checkmark{\ } \checkmark{\ } \

## Light and electrical data

Ligi	ht source	LED
Lun	minous flux LED [lm]	5008,5
LEC	D power [W]	32,4
Lur	minaire luminous flux [lm]	3750,8
Pov	wer of luminaire [W]	36,8
Lur	minaire's light efficiency [lm/W]	101,9
Col	lor of the light [K]	3000
CR	1	>90
SD	CM (LED sources)	3
	otobiological risk class (IEC/EN 471)	RG0
Pro	tection against electric shock	II
Pro	otection degree	IP20
Volt	tage	220240 V, 5060 Hz
Life	etime of LED sources [h]	100000
Lx/I	Ву	L80/B10
Ope	erating temperature range [°C]	5 ÷ 35
Driv	ver	standard on/off (E)
Pov	wer factor cos φ	>0,95
Circ	cuit load capacity	15 (B10), 23 (B16), 23 (C10), 36 (C16)

## Mechanical data

∟ ∸⊥ .B



Assembly	directly mounted to ceiling construction or surface mounted on slings
Material	steel sheet and aluminum
Color	RAL 9016 (white)
Diffuser	transparent PMMA
Impact resistant	IK04
Dimensions [mm]	900 x 72 x 50

Luminous flux tolerance +/- 10%. Power tolerance +/- 10%. Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 09-09-2025