

## Product: ONLINE LED 8800 PLX E 34 830 / L-1200 Index: 19.3090.0009.34



## Description


Luminary to be mounted on suspensions , or directly on solid ceiling construction. The suspended version is equipped with 1500 mm long suspension system that includes smooth regulation of the suspension length. Its body made from anodized aluminum profile. Luminary is equipped with highly efficient LED sources. Its diffuser is made from white polymethyl methacrylate with a light transparency more than 70%. Optical system creates Lambert diffuse reflection. No frame diffuser is equipped with specially formed latches that match the aluminum profile. Luminary is resistant to solids, dust, and humidity penetration – IP20.

Product information	Category	Category Surface mounted luminaires	
	Family	Family ONLINE LED   Name ONLINE LED 8800 PLX E 34 830 / L-1200	
	Name		
	Index	19.3090.0009.34	
Light and electrical data	Light source		LED
	Luminous flux	x LED [lm]	8811
	LED power [V	M]	46,8
	Luminaire lur	nin <mark>ous flux [lm]</mark>	6952
	Power of lum	inaire [W]	49,1
	Luminaire's li	ght efficiency [lm/W]	141,6
	Color of the li	ight [K]	3000
	CRI		>80
	SDCM (LED	sources)	3
	Beam angle [	[°]	(C0-C180) / (C90-C270) - 93,8° / 96,6°
	Protection ag	ainst electric shock	I
	Protection de	gree	IP20
	Voltage		220240 V, 5060 Hz
	Lifetime of LE	ED sources [h]	100000 (1) / 147000 (2)
	Lx/By		L80/B10 (1) / L70/B50 (2)
	Operating ter	mperature range [°C]	5 ÷ 30
	Driver		standard on/off (E)
	Power factor	cos φ	>0,95
	Circuit load c	apacity	15 (B10), 25 (B16), 24 (C10), 38 (C16)
Mechanical data	Assembly	direc surfa	ctly mounted to ceiling construction or ace mounted on slings
	Material	alum	inum
	Color	RAL	9016 (white)
	Diffuser	PLX	(PMMA opal)
	Impact resist	ant <b>IK04</b>	

Dimensions [mm]

1134 x 92 x 86

## A graph of light








## Accessories

- Index 6E1-500KW34K-3
- Name SUSPENSION NEW TYPE-A+B 34 LENGHT 1,5M WIRE 3X SET



- Index 6E1-9875-4-1,5-3X
- Name SUSPENSION NEW TYPE-D LENGHT-1,5 METER WIRE 3X 1-POINT



Index 6E1-8670-B-1,5-3X Name SUSPENSION NEW TYPE-F LENGHT-1,5 METER WIRE 3X 1-POINT



Index 6E1-9875-3-1,5 Name SUSPENSION NEW TYPE-C LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Index 6E1-8670-B-1,5

Name SUSPENSION NEW TYPE-E LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Index 6E1-500KWB34K-3

Name SUSPENSION NEW TYPE-A+E 34 LENGHT 1,5M WIRE 3X SET



