


Product: BACKPANEL LED 4800 MICRO-PRM E 34 IP20/44 830 1200X300 Index: 19.3213.0037.34




Description

Modern LED panel dedicated to be mounted on suspended modular ceilings, cardboard suspended ceilings (using adaptive frame), directly on the ceiling (using adaptive frame) or using adaptive frame and suspensions. Equipped with the highly efficient LED sources. Direct light distribution. Luminary body made from steel sheet. PMMA opal diffuser. Colour of luminary - white. CRI>80. Luminary dedicated for the public use structure like offices, conference rooms, classrooms, lecture halls etc.

Product information		0 MICRO-PRM E 34 IP20/44 830 1200X300
	Index 19.3213.0037.34	
Light and electrical data	Light source	LED
	Luminous flux LED [lm]	5047
	LED power [W]	29,8
	Luminaire luminous flux [lm]	4522
	Power of luminaire [W]	33,6
	Luminaire's light efficiency [lm/W]	134,6
	Color of the light [K]	3000
	CRI	>80
	SDCM (LED sources)	3
	Beam angle [°]	(C0-C180) / (C90-C270) - 88,8° / 88,2°
	Photobiological risk class (IEC/EN 62471)	RG0
	Protection against electric shock	II
	Protection degree	IP20/44
	Voltage	220240 V, 5060 Hz
	Lifetime of LED sources [h]	100000
	Lx/By	L80/B10
	Operating temperature range [°C]	5 ÷ 30
	Driver	standard on/off (E)
	Circuit load capacity	38 (B10), 62 (B16), 64 (C10), 103 (C16)
Mechanical data	Assembly mou ceil slin	unted in module ceilings, plasterboard ings, directly on the ceiling or using the gs
	Material stee	el sheet
	Color RAL	- 9016 (white)
	Diffuser Mic	ro-PRM (micro-prismatic diffuser PMMA)
	Impact resistant IK04	4
	Weight [kg] 3,1	
	Dimensions [mm] 119	5 x 295 x 34

A graph of light



Accessories

Index 19.3213.0080.34

Name BACKPANEL LED RECESSED ACCESSORIES 34 / 1200X300



Index 19.3213.0074.34 Name BACKPANEL LED SURFACE ACCESSORIES 34 / 1200X300



Index 19.3213.0077.34

Name BACKPANEL LED ACCESSORIES SET WITH SUSPENSION 1,5M / 1200X300



Luminous flux tolerance +/- 10%. Power tolerance +/- 10%. Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 24-01-2023