

Product: X-LINE SLIM L-DOWN LED 2600 OPTICS-ASYM EDD 24 830 / L-1144MM S-1,5M Index: 19.4090.3313.24




Description

The luminaire is made of aluminum profile. There is only lower half-space light distribution (L-DOWN). Comparing to the traditional X-Line LED, size of the luminaire has been reduced, and all construction has been closed in a narrow 48 mm profile, which gives now a more elegant form of the product. The X-Line Slim uses a PLX or Micro-PRM opal diffuser or lenses. All of this allows to manipulate light and create lighting systems, facilitating the creation of comfortable vision in the interiors and their aesthetic appearance. The X-Line Slim luminaire is designed for mounting on suspensions.

Product information	Category Surface mounted luminaires	
	Family X-LINE SLIM LED	naires
		LED 2600 OPTICS-ASYM EDD 24 830 / L-
	1144MM S-1,5M	LED 2000 OPTICS-ASTM EDD 24 0307 L-
	Index 19.4090.3313.24	
Light and electrical data	Light source	LED
	Luminous flux LED [lm]	2525
	LED power [W]	13,3
	Luminaire luminous flux [lm]	1995
	Power of luminaire [W]	14,4
	Luminaire's light efficiency [lm/W]	138,5
	Color of the light [K]	3000
	CRI	>80
	SDCM (LED sources)	3
	Beam angle [°]	asymmetric light distribution - Imax=-20°
	Protection against electric shock	I
	Protection degree	IP40
	Voltage	220240 V, 5060 Hz
	Lifetime of LED sources [h]	100000 (1) / 147000 (2)
	Lx/By	L80/B10 (1) / L70/B10 (2)
	Operating temperature range [°C]	5 ÷ 30
	Driver	DIM DALI (EDD)
	Power factor $\cos \phi$	>0,95
	Circuit load capacity	14 (B10), 24 (B16), 22 (C10), 36 (C16)
Mechanical data	Assembly s	urface mounted on slings
		uminum
	Color a	nodised aluminum
	Diffuser O	PTICS (optical system based on lenses)
		(04
		144 x 48 x 70

A graph of light







Accessories

- Index 6E1-500KWANK-5
- Name SUSPENSION NEW TYPE-A+B 24 LENGHT 1,5M WIRE 5X SET




- Index 6E1-9875-4-1,5-5X
- Name SUSPENSION NEW TYPE-D LENGHT-1,5 METER WIRE 5X 1-POINT




Index 6E1-8670-B-1,5-5X
Name SUSPENSION NEW TYPE-F
LENGHT-1,5 METER WIRE 5X 1POINT



Index 6E1-9875-3-1,5 Name SUSPENSION NEW TYPE-C LENGHT-1,5 METER WITHOUT WIRE 1-POINT



- Index 6E1-8670-B-1,5
- Name SUSPENSION NEW TYPE-E LENGHT-1,5 METER WITHOUT WIRE 1-POINT



Index 6E1-500KWB24K-5

Name SUSPENSION NEW TYPE-A+E 24 LENGHT 1,5M WIRE 5X SET

